THE BANK OF MYSORE, LIMITED, BANGALORE.

Notice is hereby given that the Share Transfer Books of the Bank will be closed for 15 days from 17th July 1938 to 31st July 1938, both days inclusive.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 30th June 1938, published under Article 141 of the Articles of Association.

Liabilities	Rs.	Assets	Rs.
To Capital Receipts ..	20,00,000	By Cash in hand and at Bankers ..	23,75,070
„ Reserve Fund ..	25,75,000	„ Loans and Cash Credit Accounts	1,86,53,571
„ Public and other Deposits	2,54,85,475	„ Bills discounted	4,48,205
„ Sundries	3,50,777	„ Investments	84,30,242
		„ Balance at Agencies	..
		„ Dead Stock	5,04,164
		„ Sundries	..
Total	3,04,11,252	Total	3,04,11,252

(Annas and pies omitted.)

BANGALORE,
Dated 5th July 1938.

F. L. PERADON,
Manager.

"I intend moving the Honourable the High Court of Mysore to enrol me as an Advocate thereof."

M. KRISHNA RAO.

"I intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof."

T. G. SRINIVASA IYENGAR.

OFFICE OF THE CONSERVATOR OF FORESTS, SHIMOGA.

Notification No. 1, *Shimoga, dated 2nd July* 1938.

H. Thimmappa, Clerk, Forest Sub-Divisional Office, Tadasa, is permitted to change his name as "M. T. Raja."

C. ABDUL JABBAR,
Conservator of Forests.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 29016-25, *dated 25th June* 1938.

The Firms dealing in Motor Lorries.

Enquiry No. 2906.

MOTOR LORRIES.

GENTLEMEN,

Please be good enough to intimate your best prices, F.O.R. Mysore South Station, and the earliest time of delivery for the materials described below:

Two Motor Lorries with bodies as per specification given below:—

1. The lorries should be capable of carrying a load of two (2) tons material.
2. The quotation of the Chassis and that of the Body to be built as per blue print should be given separately.
3. A list of spare parts and tools that would be supplied with the lorry should be furnished.
4. The old lorries now in service at the Sandal Oil Factory, Mysore, may be examined by the tenderer and their relative exchange value offered.
5. Complete information regarding petrol and oil consumption and mileage, etc., should be furnished clearly.
6. A trial should be arranged. When and where it can be arranged should be stated.
7. Time required for delivery complete with the body should be definitely stated.
8. Number of back wheels and the number of steppne should be given.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your

expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Puchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Lorries", with the above enquiry Number.

This enquiry will be closed on the 8th August 1938.

No. S. P. C. 29441-70, dated 30th June 1938.

To

The Firms dealing in Oil Engine Pumping Sets.

Enquiry No. 2914.

OIL ENGINE PUMPING SETS REQUIRED FOR UN-WATERING FOUNDATIONS IN KADUR DIVISION.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

The prices to be quoted should be for delivery f.o.r., Chickmagalur Out Agency. Separate prices should be given for Pumps, Engines and Spares.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Oil Engine Pumping Sets required for un-watering foundations in Kadur Division" with the above enquiry Number.

This enquiry will be closed on the 30th July 1938.

SCHEDULE I.

Specification of the Oil Engine Pumping Set of capacity 15,000 gallons per hour against 50'.

One pumping set for unwatering foundations consisting of:—

1. One pump capable of discharging 15,000 gallons of water per hour against total head of about 50 ft. from all causes. The pump should be provided with C.I. Impellers preferably as they have to pump water with mud and sand at times. The pumps to be offered should be either vertically split or horizontally split. Suitable bearing should be provided for, close to the driving pulley so that there may not be any strain on the pump glands. The pump need not be provided with fast and loose pulleys; but it should be provided with (1) Suitable foot valve one size bigger than the suction diameter and a delivery valve.

2. One Oil engine either vertical or horizontal to wash the above pump and should be capable of running on crude oil. It should be cold starting and absolutely easy and quick starting. All the working parts should be easily accessible and they should be as trouble-free as possible. Engine should have sufficient reserve-power over the pump and should be economical in running both as regards fuel oil and lubricating oil.

The engine should be totally enclosed so that the outside dust and water may not affect the working parts outside.

One set of spares such as valve springs, two gaskets, one set of piston rings and any other parts necessary to be kept may be included and the prices separately shown against each.

SCHEDULE II.

Specification for the Oil Engine Pumping set of Capacity 4,000 gallons per hour against 50'.

One pumping set for unwatering foundations consisting of:—

1. One pump should be capable of discharging 4,000 gallons per hour against a head of about 50 ft. from all causes. The pump should be provided with C.I. Impellers perferably as they have to pump water with mud and sand at times. The pump may be either vertically split or horizontally split. Suitable bearing should be provided for, close to the drive pulley so that there may not be any strain on the pump glands. The pump need not be provided with fast and loose pulleys.

The pump should be provided with a suitable foot valve one size bigger than the suction diameter, and a delivery valve.

2. One engine to work the above pump either vertical or horizontal and should be capable of running on crude oil. It should be cold starting and absolutely easy and quick in starting. All the working parts should be easily accessible and they should be as trouble-free as possible.

The engine should have sufficient reserve power over the pump, and should be economical in running both as regards fuel oil and lubricating oil.

The engine should be totally enclosed so that the outisde dust and water may not affect the working parts inside.

The Engine and pump to be mounted on temporary sleeper platforms. The set should be provided with suitable belt drives.

A set of spares such as valve springs, two gaskets, one set of piston rings, and any other parts necessary to be kept may be included, and the prices separately shown against each.

No. S. P. C. 29431-40, dated 30th June 1938.

To

The Firms dealing in Steel Racks.

Enquiry No. 2915.

STEEL RACKS REQUIRED FOR THE ENGLISH-KANNADA DICTIONARY OFFICE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should superscribed "Quotations for Steel Racks" with the above enquiry Number.

This enquiry will be closed on the 14th July 1938.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Steel Racks 8′–6″ high, 5′ wide and 1′ deep inside, with seven shelves, including top and bottom or six compartments. There should be a clear space of 15″ among the shelves in front with a ground clearance of 6″. The racks should be open on all sides, but should be reinforced by fixing two cross plates of 1″×¼″ at the back of the racks. The plates to be used should be of 18 gauge thick, and angle steel corner standards of size 1½″×1½″×⅛″. The racks are to be painted olive green.	Five.	Mysore.	

No. S. P. C. 87-106, dated 3rd July 1938.

To

The Firms dealing in Food Grains.

Enquiry No. 2916.

CRUSHED GRAM.

GENTLEMEN,

Sealed tenders will be received by the Stores Purchase Committee for the supply of Crushed Horse Gram, free from dust and other impurities, to the Serum Institute, Bangalore, during the year 1938-39.

The approximate quantity required during the year is 75,000 lbs.

The price to be quoted should be per unit of 100 lbs. delivered free at the Serum Institute, Bangalore, subject to the attached conditions of contract.

Quotations should reach the undersigned on or before the 15th of July 1938.

Conditions of contract for the supply of Crushed Horse Gram to the Serum Institute.

The Stores Purchase Committee do not bind themselves to accept the lowest or any tender.

2. Tenders should be for supply of only good and cleaned grain, free from all kinds of impurities and suitable for being consumed without further cleaning.

3. The quantity specified in the enquiry is only approximate. The actual quantity to be purchased will be more or less. The contract will be deemed to be limited to the quantity actually drawn on indents during the period of contract.

4. Tenderers should specify rate per 100 lbs. net which should include all charges for free delivery at the Serum Institute, Bangalore. Samples of grain offered should also accompany the tenders in two sets.

5. The rate quoted should hold good for a period of two weeks from the date fixed for receiving the tender. Withdrawal from tender before the above period or after acceptance of the tender is com-

municated, due to whatever causes, will entail forfeiture of earnest money deposited in connection with the tender.

6. For the due fulfilment of the contract, the successful tenderers will be required to execute a stamped agreement within a week from the date of receipt of intimation that their tenders have been accepted and to deposit as security, an amount equal to five per cent of the value of the order, failing which the earnest money referred to in the following paragraph will be forfeited to Government and the order cancelled immediately.

7. Tenderers should remit a sum of Rs. 100 as earnest money to the State Huzur Treasury with the challan form which can be had from the undersigned and the fact should duly be noted in the tender. Any tender not complying with this condition will not be considered. Earnest moneys will be returned to parties after the tenders are disposed of in the case of unsuccessful tenderers but in respect of successful tenderers only after the requisite security deposit is furnished.

8. The contract will run for a period of one year. The contractor whose tender is accepted should be prepared to supply the material in strict conformity to the approved sample on indents from the Superintendent of the Serum Institute, Bangalore, within the time specified in the indents. All unsatisfactory supplies will be rejected.

9. No application from the contractor for any enhancement of the prices accepted by the committee, due to whatsoever causes, will be entertained during the period of contract.

10. Should the contractor fail to comply with any of the conditions detailed above, the contract will forthwith be cancelled and the security deposit forfeited to Government. The contractors will further be bound to make good to Government any loss which may arise from their failure to supply the articles contracted for or by Government having to purchase the articles specified in the contract in the local market at higher rates than those contracted for.

11. The Stores Purchase Committee may at their discretion and within the limits of the approved rate determine the relative price of any articles that may not, in their opinion, be found up to the standard of quality required, but accepted by the indenting officer on ground of urgency or other causes.

12. Should any question arise respecting the quality of the materials supplied or the manner of performance of the contract, the contractors should agree to abide by the decision of the Stores Purchase Committee.

13. Tenders should be sent in sealed covers superscribed "Tender for the supply of food grains for the Serum Institute."

No. S. P. C. 212-220, dated 4th July 1938.

To

The Firms dealing in Asphaltic Bitumen.

Enquiry No. 2919.

ASPHALTIC BITUMEN.

GENTLEMEN,

We require about 1,500—1,600 tons of Asphaltic Bitumen, 180—200 penetration for the manufacture of Bitumen emulsion suitable for road surfacing. The quantity noted above is only approximate and the actual requirements may be more or less subject to a limit of 25 per cent. The material will be required to be supplied in non-returnable barrels from time to time on indents.

The prices quoted against this enquiry should hold good for a period of one year from the date the contract is let. Prices should be quoted on the basis of delivery free on rails.

(1) at Bangalore City Railway Station, and
(2) at Mysore South Station.

Test certificates issued by the Government of India Alipore Test House for the materials offered should accompany your quotation.

This enquiry will be closed on the 23rd July 1938.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 150, dated 2nd July 1938.

NOTICE.

Enquiry No. 2917.

Sealed teders will be received by the Secretary, Stores Purchase Committee, for the supply of Copper Strips and Wires required during the year 1938-39, up to the 15th of August 1938.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of the forms.

By Order,
T. RANGASWAMI,
Secretary,
Stores Puchase Committee,